

# Model Documentation of the 'DIS4'

## 1 Nomenclature

### 1.1 Nomenclature for Model Equations

- $x$  state vector
- $u$  control input vector
- $w$  noise vector
- $z$  regulated output vector
- $y$  measurement vector

## 2 Model Equations

State Vector and Input Vector:

$$x \in \mathbb{R}^6 u \in \mathbb{R}^4 w \in \mathbb{R}^6 z \in \mathbb{R}^6 y \in \mathbb{R}^6$$

System Equations:

$$\dot{x}(t) = Ax(t) + B_1w(t) + Bu(t) \quad (1a)$$

$$z(t) = C_1x(t) + D_{11}w(t) + D_{12}u(t) \quad (1b)$$

$$y(t) = Cx(t) + D_{21}w(t) \quad (1c)$$

Outputs:  $z$



## 2.1 Exemplary parameter values

### 3 Derivation and Explanation

This model is part of the "‘COMPleib’" - library and was automatically imported into ACKREP.

The original description was:

DIS4 H. T. Toivonen and P. M. Maekilae, "A descent Anderson- Moore algorithm for optimal decentralized control", AUTO, Vol. 21, Nr. 6, pp.743-744, 1985

### 4 Simulation




Figure 1: Simulation of the DIS4.

### References

- [1] . T. Toivonen and P. M. Maekilae, "A descent Anderson- Moore algorithm for optimal decentralized control", AUTO, Vol. 21, Nr. 6, pp.743-744, 1985