

# Model Documentation of the 'NN6'

## 1 Nomenclature

### 1.1 Nomenclature for Model Equations

- $x$  state vector
- $u$  control input vector
- $w$  noise vector
- $z$  regulated output vector
- $y$  measurement vector

## 2 Model Equations

State Vector and Input Vector:

$$x \in \mathbb{R}^9 \quad u \in \mathbb{R}^1 \quad w \in \mathbb{R}^5 \quad z \in \mathbb{R}^3 \quad y \in \mathbb{R}^4$$

System Equations:

$$\dot{x}(t) = Ax(t) + B_1w(t) + Bu(t) \tag{1a}$$

$$z(t) = C_1x(t) + D_{11}w(t) + D_{12}u(t) \tag{1b}$$

$$y(t) = Cx(t) + D_{21}w(t) \tag{1c}$$

Outputs:  $z$

## 2.1 Exemplary parameter values

Symbol	Value				
$A$	$\begin{bmatrix} 0 & 1.0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & -20.0 & -4.2 & 0 & 4.45 & 12.5 & 0 & 100.0 & 0 \\ 0 & 0 & 0 & 1.0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 4.7 & 8.35 & 0 & -1.1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & -3.3 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1.0 & 0 & 0 \\ 0 & 10.9 & 0 & 0 & -2.55 & -250.0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1.0 \\ 0 & 5.9 & 0 & 0 & -1.39 & 0 & 0 & -3700.0 & 0 \end{bmatrix}$				
	$B$	$\begin{bmatrix} 0 \\ 0 \\ 0 \\ 0 \\ 3.3 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \end{bmatrix}$			
		$B_1$	$\begin{bmatrix} 0 \\ 0 \\ 0 \\ 0 \\ 3.3 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \end{bmatrix}$		
			$C_1$	$\begin{bmatrix} 1.0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1.0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \end{bmatrix}$	
				$C$	$\begin{bmatrix} 1.0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1.0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1.0 & 0 & 0 & 0.66 & 0 & 1.2 & 0 \\ 0 & 0 & 0 & 1.0 & 0 & 0 & 0.66 & 0 & 1.2 \end{bmatrix}$
					$D_{11}$
			$D_{12}$		
				$D_{21}$	

### 3 Derivation and Explanation

This model is part of the "COMpleib" - library and was automatically imported into ACKREP.

The original description was:

NN7 like NN6 with changed B1, C1, D11, D12 and D21 ehemals HB2

### 4 Simulation




Figure 1: Simulation of the NN6.

### References

- [1] . P. Horisberger and P. R. Belanger, "Solution of the Optimal Constant Output Feedback Problem by Conjugate Gradients", TOAC, Vol. 19, pp. 434-435, 1974